





### **WANNENANKER**

## schallentkoppelt für Bade- und Duschwannen

### Skizze 1







- Für die Montage empfiehlt sich die Verwendung des Kaldewei Schalldämmsets bzw. einer wandseitigen Schallentkopplung durch ein geeignetes Schalldämmband.
- Je nach Einbausituation sollten die Wannenanker an den mit X gekennzeichneten Stellen montiert werden (Skizze 1).
- Die Schrauben sind mittig in der Aussparung des Wannenankers zu fixieren.
- Bade- oder Duschwanne gemäß Aufbauanleitung aufstellen.
- Wannenanker gemäß Skizze 2 unterhalb des Wannenrandes befestigen.





## **WALL ANCHORS**

# soundproofed –for baths and shower trays

- The use of the Kaldewei soundproofing set or wall-mounted sound insulation by means of a suitable sound insulating tape is recommended for installation.
- Depending on the installation situation, the wall anchors should be mounted in the places marked with an X (sketch I).
- $\hfill\blacksquare$  The screws must be fixed in the centre of the wall anchor recess.
- Install baths or shower trave in accordance with the installation instructions.
- Secure the wall anchors below the bath rim as shown in sketch 2.

#### Skizze 2





Franz Kaldewei GmbH & Co. KG Beckumer Str. 33-35

Beckumer Str. 33-33

D-59229 Ahlen

Telefon +49 2382 785 0

Fax: +49 2382 785 200

Internet: www.kaldewei.com