





Ample Wonder Limited

Add: Block C, Demei Industry Building, No. 7 Jianfeng Road,
Ronggui, Shunde, Guangdong, China
Web: www.ample-wonder.com
Email: steven@ample-wonder.com/info@ample-wonder.com
Tel: +86-757-28363782
Mobile/ Zalo/ Wechat/ WhatsApp: +86-136 3115 8918



Half-bridge technology
High efficiency, Stable and durable

AMPLE WONDER LIMITED
PROFESSIONAL COMMERCIAL



INDUCTION
COOKER

GOOD STARTS HERE

COMMERCIAL COOKTOP SERIES



COMMERCIAL COOKTOP SERIES

AM-CD401

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
600 x 690 x 115mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 4 Digital LED Display
3500W*4 Output Power
Max Power: 5000W, Power Share Function
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 680*770*210mm

LOADING QTY:
Without pot: 254pcs/ 20'GP, 618pcs/ 40HQ



AM-CD201

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
410 x 765 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 4 Digital LED Display
3500W*2 Output Power
Max Power: 5000W, Power Share Function
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 820*470*180mm

LOADING QTY:
Without pot: 405pcs/ 20'GP, 985pcs/ 40HQ



COMMERCIAL COOKTOP SERIES



AM-CD202

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
410 x 765 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 4 Digital LED Display
3500W*2 Output Power
Max Power: 5KW or 7KW, Power Share Function
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 820*470*180mm

LOADING QTY:
Without pot: 405pcs/ 20'GP, 985pcs/ 40HQ



AM-CD203

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
410 x 765 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W*2 Output Power
Max Power: 5000W, Power Share Function
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 470*820*180mm

LOADING QTY:
Without pot: 405pcs/ 20'GP, 985pcs/ 40HQ

COMMERCIAL COOKTOP SERIES

AM-CD205

PRODUCT DIMENTION(L x W x H):
680 x 430 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W + 3500W Output Power
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 750*520*180mm

LOADING QTY:
Without pot: 400pcs/ 20'GP, 971pcs/ 40HQ



AM-CDT401


220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
600×600×270/300mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 4 Digital LED Display
3500W*2 + 1500W*2 Output Power
Max Power: 5000W, Power Share Function
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 702*680*335mm

LOADING QTY:
Without pot: 175pcs/ 20'GP, 425pcs/ 40HQ



AM-CD206

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
800 x 505 x 185mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
5000W + 5000W Output Power
180 minutes timer function
60℃-240℃ temperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 865*565*250mm

LOADING QTY:

Without pot: 229pcs/ 20'GP, 557pcs/ 40HQ



Half-bridge technology
High efficiency, Stable and durable

COMMERCIAL COOKTOP SERIES

AM-CD207

PRODUCT DIMENTION(L x W x H):
800 x 505 x 185mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
5000W + 5000W Output Power
180 minutes timer function
60℃-240℃ temperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 865*565*250mm

LOADING QTY:

Without pot: 229pcs/ 20'GP, 557pcs/ 40HQ



AM-CD208

PRODUCT DIMENTION(L x W x H):
680 x 435 x 120mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W + 3500W Output Power
180 minutes timer function
60℃-240℃ temperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 750*525*180mm

LOADING QTY:

Without pot: 395pcs/ 20'GP, 959pcs/ 40HQ



Max Power
8000W



AM-CD801

380V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
520 x 635 x 265mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Magnetic Switch Control with 4 Digital LED Display
8000W Output Power
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 540*660*320mm

LOADING QTY:
Without pot: 245pcs/ 20'GP, 596pcs/ 40HQ



Half-bridge technology
High efficiency, Stable and durable

AM-CDT101

380V~400V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
325 x 600 x 385mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 1 Digital LED Display
5000W Output Power
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 375*650*400mm

LOADING QTY:
Without pot: 286pcs/ 20'GP, 694pcs/ 40HQ

AM-CDT101W

PRODUCT DIMENTION(L x W x H):
400 x 600 x 270mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 1 Digital LED Display
5000W Output Power
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 450*750*285mm

LOADING QTY:
Without pot: 291pcs/ 20'GP, 706pcs/ 40HQ



Half-bridge technology
High efficiency, Stable and durable



AM-CD801W

380V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):

520 x 635 x 265mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Magnetic Switch Control with 4 Digital LED Display
8000W Output Power
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 540*660*320mm

LOADING QTY:

Without pot: 245pcs/ 20'GP, 596pcs/ 40HQ



AM-CD506W

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):

400 x 500 x 185mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60℃-240℃ temperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 465*270*575mm

LOADING QTY:

Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



AM-CDT102

380V~400V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):

500 x 500 x 380mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 1 Digital LED Display
3500W*2 Output Power
Max Power: 5000W, Power Share Function
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 620*570*480mm

LOADING QTY:

Without pot: 164pcs/ 20'GP, 400pcs/ 40HQ



AM-CD506

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):

400 x 500 x 185mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60℃-240℃ temperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 465*270*575mm

LOADING QTY:

Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ

Half-bridge technology
High efficiency, Stable and durable



COMMERCIAL INDUCTION COOKER

5000W
High-power

COMMERCIAL INDUCTION COOKER

AM-CD502

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

400 x 500 x 185mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob & Button Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 465*270*575mm

LOADING QTY:

Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



AM-503W

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

400 x 500 x 185mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 465*270*575mm

LOADING QTY:

Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ





AM-CD504W

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
800 x 505 x 185mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob & Sensor Touch Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 465*270*575mm

LOADING QTY:
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



AM-CD507

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
400 x 500 x 185mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 465*270*575mm

LOADING QTY:
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



AM-CD505

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
400 x 500 x 185mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob & Sensor Touch Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 465*270*575mm

LOADING QTY:
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



AM-CD101

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°C temperature setting
Over-heating & Over-voltage Protectio

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



COMMERCIAL INDUCTION COOKER

AM-CD102

220V~240V 50Hz/60Hz



PRODUCT DIMENTION(L x W x H):
340 x 430 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

AM-CD102W

220V~240V 50Hz/60Hz



PRODUCT DIMENTION(L x W x H):
340 x 430 x 130mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

AM-CD103

220V~240V 50Hz/60Hz



PRODUCT DIMENTION(L x W x H):
340 x 430 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control
3500W Output Power
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

AM-CD104

220V~240V 50Hz/60Hz



PRODUCT DIMENTION(L x W x H):
340 x 430 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Button Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD105

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with LCD Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD108T

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD108

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD108W

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):
340 x 430 x 130mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

COMMERCIAL INDUCTION COOKER

NEW

GOOD STARTS HERE



WIRELESS THERMO PROBE

AM-CD112

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
340 x 430 x 120mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with LCD Display
Wireless Bluetooth Thermo Pro
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



Fry meat over low heat
600W~1000W



Boil soup evenly over high heat
1800W~2000W



Stir fry with intense heat
3000W



AM-CD111

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
340 x 430 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD117

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
340 x 430 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Button Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

Half-bridge technology
High efficiency
Stable and durable



Half-bridge technology

High efficiency, Stable and durable



AM-CD119

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
340 x 430 x 120mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch and Knob Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:

Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD105W

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
340 x 430 x 130mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with LCD Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:

Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD27A

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
313 x 390 x 82mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Button Control with 4 Digital LED Display
2700W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:

Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD122

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
335 x 420 x 63mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 405*153*480mm

LOADING QTY:

Without pot: 941pcs/ 20'GP, 2286pcs/ 40HQ

Half-bridge technology
High efficiency
Stable and durable

3500W

High-power



AM-CD111XL

220V~240V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
400 x 530 x 150mm

SPECIFICATION:

Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size:435*185*600*mm

LOADING QTY:

Without pot: 508pcs/ 20'GP, 1236pcs/ 40HQ



Half-bridge technology
High efficiency, Stable and durable



AM-CD120W

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 430 x 130mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD113

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD120

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD113W

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

COMMERCIAL COOKTOP SERIES



AM-CD27B

220~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
313 x 390 x 82mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
2700W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD102

220~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ




AM-CD130

220~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

COMMERCIAL INDUCTION COOKER



AM-CD130W

220~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 430 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm
- LOADING QTY:**
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-CD502W

220V/380V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
800 x 505 x 185mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
5000W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:465*270*575mm
- LOADING QTY:**
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ

Half-bridge technology
High efficiency, Stable and durable

3500W

High-power



AM-BCD101W

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 360 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-BCD102W

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 360 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-BCD101

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 360 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm

LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



AM-BCD102

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):
340 x 360 x 120mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W Output Power
180 minutes timer function
60°C-240°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/ctn, carton size:410*180*520mm


LOADING QTY:
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

COMMERCIAL FREE STANDING SERIES




AM-TCD601

- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch and Knob Control with 4 Digital LED Display
3500W*6/ 5000W*6 Output Power
180 minutes timer function
60°C-300°Ctemperature setting
Over-heating & Over-voltage Protection
- PRODUCT DIMENTION**(L x W x H):
1200 x 900 x 820/920mm
- PACKAGE:**
Without pot: 1pc/plt, pallet size: 1270*1000*600mm
- LOADING QTY:**
Without pot: 37pcs/ 20'GP, 89pcs/ 40HQ




AM-CD602C

- PRODUCT DIMENTION**(L x W x H):
1200 x 900 x820/920mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch and Knob Control with 4 Digital LED Display
3500W*6/ 5000W*6 Output Power
180 minutes timer function
60°C-300°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/plt, pallet size: 1270*800*970mm
- LOADING QTY:**
Without pot: 28pcs/ 20'GP, 69pcs/ 40HQ



AM-TCD401

- PRODUCT DIMENTION**(L x W x H):
800 x 900 x 820/920mm
- SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch and Knob Control with 4 Digital LED Display
3500W*4/ 5000W*4 Output Power
180 minutes timer function
60°C-300°Ctemperature setting
Over-heating & Over-voltage Protection
- PACKAGE:**
Without pot: 1pc/plt, pallet size: 960*890*680mm
- LOADING QTY:**
Without pot: 48pcs/ 20'GP, 117pcs/ 40HQ






AM-TCD402

PRODUCT DIMENTION(L x W x H):
800 x 900 x 820/920mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch and Knob Control with 4 Digital LED Display
3500W*4/ 5000W*4 Output Power
180 minutes timer function
60°C-300°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/plt, pallet size: 960*890*680mm

LOADING QTY:
Without pot: 48pcs/ 20'GP, 117pcs/ 40HQ



AM-CD1500

PRODUCT DIMENTION(L x W x H):
649 x 730 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Megnetic Switch Control with 1 Digital LED Display
15KW Output Power
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/plt, pallet size:815*752*655mm

LOADING QTY:
Without pot: 69pcs/ 20'GP, 169pcs/ 40HQ




AM-TCD402C

PRODUCT DIMENTION(L x W x H):
800 x 900 x 820/920mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch and Knob Control with 4 Digital LED Display
3500W*4/ 5000W*4 Output Power
180 minutes timer function
60°C-300°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/plt, pallet size: 960*890*680mm

LOADING QTY:
Without pot: 48pcs/ 20'GP, 117pcs/ 40HQ



AM-CD1500W

PRODUCT DIMENTION(L x W x H):
649 x 730 x 120mm

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Megnetic Switch Control with 1 Digital LED Display
15KW Output Power
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/plt, pallet size:815*752*655mm

LOADING QTY:
Without pot: 69pcs/ 20'GP, 169pcs/ 40HQ



AM-TCD201

PRODUCT DIMENTION(L x W x H):
450 x 900 x 800/920mm

SPECIFICATION:


Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W*2/ 5000W*2 Output Power
180 minutes timer function
60°C-300°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/plt, pallet size: 960*540*560mm

LOADING QTY:

Without pot: 96pcs/ 20'GP, 234pcs/ 40HQ



AM-TCD202

PRODUCT DIMENTION(L x W x H):
450×900×800/920mm

SPECIFICATION:


Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 4 Digital LED Display
3500W*2/ 5000W*2 Output Power
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/plt, pallet size: 510*900*845mm

LOADING QTY:

Without pot: 72pcs/ 20'GP, 175pcs/ 40HQ



AM-TCD201C

PRODUCT DIMENTION(L x W x H):
450 x 900 x 800/920mm

SPECIFICATION:


Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W*2/ 5000W*2 Output Power
180 minutes timer function
60°C-300°Ctemperature setting
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/plt, pallet size: 560*1000*815mm

LOADING QTY:

Without pot: 61pcs/ 20'GP, 149pcs/ 40HQ



AM-CDT401L 220V/380V 50Hz/60Hz

PRODUCT DIMENTION(L x W x H):
600x720x800/920mm

SPECIFICATION:


Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 4 Digital LED Display
3500W*2 + 1500W*2 Output Power
Max Power: 5000W, Power Share Function
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/ctn, carton size: 702*680*335mm

LOADING QTY:

Without pot: 175pcs/ 20'GP, 425pcs/ 40HQ



AM-TCD405C

PRODUCT DIMENTION(L x W x H):
800 x700 x 840/960mm

SPECIFICATION:


Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Knob Control with 4 Digital LED Display
3500W*4/ 5000W*4 Output Power
Over-heating & Over-voltage Protection

PACKAGE:

Without pot: 1pc/plt, pallet size: 910*800*845mm

LOADING QTY:

Without pot: 45pcs/ 20'GP, 110pcs/ 40HQ



INDUCTION DEEP FRYER SERIES



AM-CD8F101A

PRODUCT DIMENTION(L x W x H):
320 x 525 x 450mm (320+130)

SPECIFICATION:
Touchscreen With Auto-lifting System
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with 4 Digital LED Display
3500W/ 5000W Output Power
30 minutes timer function
60°C-210°Ctemperature setting
Capacity: 8L
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 390*610*515mm

LOADING QTY:
Without pot: 229pcs/ 20'GP, 555pcs/ 40HQ



AM-CD12F101

PRODUCT DIMENTION(L x W x H):
330 x 530 x 445mm (330+115)

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with LCD Display
3500W/ 5000W Output Power
180 minutes timer function
60°C-200°Ctemperature setting
Capacity: 8L
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/ctn, carton size: 390*610*515mm

LOADING QTY:
Without pot: 229pcs/ 20'GP, 555pcs/ 40HQ



INDUCTION DEEP FRYER SERIES



AM-CD22F201

PRODUCT DIMENTION(L x W x H):
660 x 530 x 445mm (400+150)

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with LCD Display
3500W/ 5000W Output Power
180 minutes timer function
60°C-200°Ctemperature setting
Capacity: 22L
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/plt, pallet size: 720*615*525mm

LOADING QTY:
Without pot: 175pcs/ 20'GP, 425pcs/ 40HQ



AM-CD22F201C

PRODUCT DIMENTION(L x W x H):
600 x 600 x 950mm (800+150)

SPECIFICATION:
Grade A Black Micro Tempered Ceramic Glass
Stainless Steel Body
Sensor Touch Control with LCD Display
3500W/ 5000W Output Power
180 minutes timer function
60°C-200°Ctemperature setting
Capacity: 22L
Over-heating & Over-voltage Protection

PACKAGE:
Without pot: 1pc/plt, pallet size: 710*660*1050mm

LOADING QTY:
Without pot: 81pcs/ 20'GP, 197pcs/ 40HQ

INDUCTION WARMER SERIES

INDUCTION WARMER

GOOD STARTS HERE

AM-BCD105

■ **PRODUCT DIMENTION**(L x W x H):
530 x 345 x 65mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Aluminum Frame
Sensor Touch Control with 3 Digital LED Display
1000W Output Power
2hrs automatically stop or non-stop timer function
45°C-100°Ctemperature setting
Over-heating & Over-voltage Protection



■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 600*460*130mm

LOADING QTY:
Without pot: 682pcs/ 20'GP, 1658pcs/ 40HQ

AM-BCD106

■ **PRODUCT DIMENTION**(L x W x H):
526 x 356 x 70mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Aluminum Frame
Sensor Touch Control with 3 Digital LED Display
1000W Output Power
2hrs automatically stop or non-stop timer function
45°C-100°Ctemperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 600*460*130mm
LOADING QTY:
Without pot: 682pcs/ 20'GP, 1658pcs/ 40HQ



AM-BCD107

■ **PRODUCT DIMENTION**(L x W x H):
526 x 356 x 70mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Aluminum Frame
Sensor Touch Control with 3 Digital LED Display
1000W Output Power
2hrs automatically stop or non-stop timer function
45°C-100°Ctemperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 600*460*130mm
LOADING QTY:
Without pot: 682pcs/ 20'GP, 1658pcs/ 40HQ



AM-BCD108

■ **PRODUCT DIMENTION**(L x W x H):
385 x 385 x 110mm

■ **SPECIFICATION:**
Grade A Black Micro Tempered Ceramic Glass
Aluminum Frame
Sensor Touch Control with 3 Digital LED Display
1000W Output Power
2hrs automatically stop or non-stop timer function
45°C-100°Ctemperature setting
Over-heating & Over-voltage Protection

■ **PACKAGE:**
Without pot: 1pc/ctn, carton size: 425*485*180mm
LOADING QTY:
Without pot: 666pcs/ 20'GP, 1618pcs/ 40HQ

